



Termal
International

DOMOTIC accessories 2012

in cooperation to INTESIS software

KNX protocol interfaces

BUS wired control	2
Single indoor unit interfaces	2
Superlink network	3
Gateway	3



ModBus protocol interfaces

BUS wired control	4
Single indoor unit interfaces	4
Superlink network	5
Gateway	5

EnOcean protocol interface	6
----------------------------	---

July price-list 2012

All the prices are VAT excluded



KNX interface for 1 indoor unit

For Multi system 1 interface per indoor unit has to be connected

MH-RC-KNX-1i*	€	220,00
---------------	---	--------

* In case of Residential indoor units, in order to have connection to BUS wired control, SC-BIKN-E has to be connected.

Gateway up to 48 indoor units connectable:
MH-AC-KNX-48

Gateway up to 128 indoor units connectable:
MH-AC-KNX-128



MH-AC-KNX-48 can be connected to SUPERLINK I as well



Both gateways can be connected to SUPERLINK II

KNX interface for SUPERLINK network

MH-AC-KNX-48	€	2.810,00
MH-AC-KNX-128	€	3.850,00

Modbus[®] protocol interfaces

BUS wired control



Modbus interface for 1 indoor unit

For Multi system 1 interface per indoor unit has to be connected

MH-RC-MBS-1*	€	220,00
--------------	---	--------

* In case of Residential indoor units, in order to have connection to BUS wired control, SC-BIKN-E has to be connected.

Modbus[®] protocol interfaces


SUPERLINK network

Gateway up to 48 indoor units connectable:

MH-AC-MBS-48

Gateway up to 128 indoor units connectable:

MH-AC-MBS-128



MH-AC-MBS-48 can be connected to SUPERLINK I as well

Both gateways can be connected to SUPERLINK II

Modbus interface for SUPERLINK network


MH-AC-MBS-48	€	2.810,00
MH-AC-MBS-128	€	3.850,00

BUS wired control

Enocean interfaces are connected to indoor unit through BUS wired control and Wireless to the other devices with the same protocol.

Ambient thermostat, Ambient sensor and/or Window switch give signals to the indoor unit without any cable.

Enocean devices are without battery, they are supplied by small photovoltaic devices which work with artificial light as well.



Enocean interface for 1 indoor unit

MH-RC-ENO - 1i	€	220,00
----------------	---	--------